



## TOPLINE & METHODOLOGY

### Alliance for Women's Health and Prevention (AWHP)/Ipsos Survey

Conducted by Ipsos using the probability-based KnowledgePanel® and a non-probability sample  
**A survey of the American women (ages 18 and older)**

Interview dates: November 18 to December 8, 2022  
 Number of interviews: 3,204

*NOTE: All results show percentages among all respondents, unless otherwise labeled. Reduced bases are unweighted values.*

*NOTE: \* = less than 0.5%, - = no respondents*

#### Annotated Questionnaire:

|     |  |                                |
|-----|--|--------------------------------|
| S0. | With which gender identity do you most identify? | (n=3,204)<br>Total respondents |
| 1   | Male   | -                              |
| 2   | Female   | 99%                            |
| 3   | Trans Male / Trans Man                           | -                              |
| 4   | Trans Female / Trans Woman                       | *                              |
| 5   | Genderqueer / Gender Non-conforming              | 1%                             |
| 6   | Different identity                               | -                              |
| 99  | No Opinion                                       | -                              |

  

|    |  |                                |
|----|--|--------------------------------|
| S3 | Which of the following statements will best describe your status when taking the survey? | (n=3,204)<br>Total respondents |
| 1  | I don't have any children and am not currently pregnant                                  | 36%                            |
| 2  | I have child/children and not currently pregnant   | 55%                            |
| 3  | I'm pregnant with my first child   | *                              |
| 4  | I'm pregnant with my second or subsequent child  | 1%                             |
| 88 | Other  | 4%                             |
|    | Prefer not to answer   | 3%                             |
| 99 | No Opinion   | *                              |

  

|    |   |                                |
|----|---|--------------------------------|
| S4 | Over the past six months, have you required any kind of health care service or treatment? | (n=3,204)<br>Total respondents |
| 1  | Yes   | 55%                            |
| 2  | No  | 45%                            |
| 99 | No Opinion  | *                              |

  

|    |  |                                |
|----|--|--------------------------------|
| S5 | Have you taken a prescription medicine within the past six months? | (n=3,204)<br>Total respondents |
|----|--|--------------------------------|



## TOPLINE & METHODOLOGY

|    |            |     |
|----|------------|-----|
| 1  | Yes        | 71% |
| 2  | No         | 29% |
| 99 | No Opinion | *   |

### [ASKED IF S5=1]

| S6 | How many different prescription medicines have you taken over the past six months? | <u>(n=2,333)</u><br><u>Rx Patients</u> |
|----|--|--|
| 1  | 1  | 23%                                    |
| 2  | 2  | 22%                                    |
| 3  | 3  | 19%                                    |
| 4  | 4  | 13%                                    |
| 5  | 5 or more  | 23%                                    |
| 99 | No Opinion   | 0%                                     |

| S7 | Do you have a chronic disease or condition?  | <u>(n=3,204)</u><br><u>Total respondents</u> |
|----|--|--|
| 1  | Yes  | 42%  |
| 2  | No   | 58%  |
| 99 | No Opinion   | *  |
|    | HYPERLINK <b>Chronic disease or condition:</b> A disease, illness or disability that is persistent and long-lasting in its effects (at least three months) and cannot be cured but may be treated. |  |

### [ASKED IF S7=1]

| S7A.   | Which of the following best describes the condition? Select all that apply. | <u>(n=1,448)</u><br><u>Chronic disease</u><br><u>patients</u> |
|--------|---|---|
| S7A_1  | Allergies   | 26%   |
| S7A_2  | Arthritis / Joint Ailments  | 28%   |
| S7A_3  | Autoimmune / Blood / Immune   | 10%   |
| S7A_4  | Cancer  | 3%  |
| S7A_5  | Cardiovascular / Heart  | 12%   |
| S7A_6  | Diabetes  | 19%   |
| S7A_7  | Gastric / Digestive   | 15%   |
| S7A_8  | Genic / Congenital  | 1%  |
| S7A_9  | Gynaecological / Urological   | 3%  |
| S7A_10 | Hearing impairment  | 5%  |
| S7A_11 | Infectious Diseases   | 1%  |
| S7A_12 | Learning Disabilities   | 1%  |
| S7A_13 | Mental Health   | 21%   |
| S7A_14 | Muscular / Musculoskeletal / Bone Fractures                                 | 5%  |
| S7A_15 | Neurologic / Nervous  | 8%  |
| S7A_16 | Non-Diabetic Endocrine  | 3%  |
| S7A_17 | Respiratory   | 10%   |



## TOPLINE & METHODOLOGY

|        |                     |     |
|--------|---------------------|-----|
| S7A_18 | Skin / Dermatologic | 9%  |
| S7A_19 | Sleep Disorders     | 10% |
| S7A_20 | Urinary / Renal     | 5%  |
| S7A_21 | Vision Impairment   | 9%  |
| S7A_22 | Other               | 23% |
| S7A_99 | No Opinion          | *   |

| S8 | Do you or your family members have a history of the following conditions? | (n=3204)<br>Total Respondents |      |               |            |
|----|---|-------------------------------|------|---------------|------------|
|    |   | 1-Yes                         | 2-No | 99-Don't Know | No Opinion |
| 1  | Breast Cancer   | 25%                           | 72%  | 3%            | 1%         |
| 2  | Cervical Cancer   | 7%                            | 88%  | 5%            | 1%         |
| 3  | Colorectal Cancer   | 9%                            | 85%  | 5%            | 1%         |
| 4  | Metastatic breast cancer  | 4%                            | 89%  | 6%            | 1%         |
| 5  | Other forms of Cancer   | 34%                           | 61%  | 5%            | 1%         |
| 6  | Cardiovascular Disease  | 26%                           | 68%  | 6%            | 1%         |
| 7  | Diabetes  | 44%                           | 53%  | 2%            | 1%         |
| 8  | High Blood Pressure   | 60%                           | 36%  | 3%            | *          |
| 9  | Mental Health Problems  | 29%                           | 65%  | 4%            | 2%         |
| 10 | Chronic Respiratory Diseases  | 12%                           | 81%  | 5%            | 1%         |
| 11 | Alzheimer's Disease   | 15%                           | 78%  | 5%            | 2%         |
| 12 | Kidney Diseases   | 9%                            | 85%  | 5%            | 1%         |
| 98 | Other, please specify   | 6%                            | 61%  | 16%           | 18%        |

| Q1/Q2 | Do you have a...                         | (n=3,204)<br>Total Respondents |      |               |         |
|-------|--|--------------------------------|------|---------------|---------|
|       |  | 1-Yes                          | 2-No | 98-Don't Know | Refused |
| Q1    | Primary care physician you see routinely | 78%                            | 21%  | 1%            | *       |
| Q2    | OB/GYN you see routinely                 | 48%                            | 50%  | 1%            | *       |



## TOPLINE & METHODOLOGY

[Q3 ASKED IF Q1=2; Q4 ASKED IF Q2=2]

Q3/Q4 Why don't you have a primary care physician/OB/GYN that you see routinely? Select all that apply.

|    |   | (n=666)<br>Total respondents who<br>don't routinely see PCP | (n=1,679)<br>Total respondents who<br>don't routinely see<br>OB/GYN |
|----|---|---|---|
|    |   | Q3: Primary care<br>physician                               | Q4: OB/GYN  |
| 1  | Difficulty finding a provider I feel comfortable with   | 25%   | 16%   |
| 2  | Difficulty finding a provider that accepts my insurance   | 7%  | 4%  |
| 3  | Limited transportation to access primary care services  | 5%  | 4%  |
| 4  | Travel long distances to access primary care services   | 3%  | 3%  |
| 5  | Face difficulties in scheduling an appointment like difficulty using online scheduling, availability of the provider, etc | 10%   | 4%  |
| 6  | Do not have childcare   | 6%  | 3%  |
| 7  | Do not think I need one   | 29%   | 47%   |
| 8  | Do not have the time  | 15%   | 6%  |
| 9  | Cannot get time off of work   | 4%  | 2%  |
| 10 | Cannot afford out of pocket costs   | 20%   | 9%  |
| 11 | Don't have health insurance   | 16%   | 8%  |
| 98 | Other: please specify   | 11%   | 21%   |
|    | Refused   | 1%  | 1%  |

Q5 When was the last time you received the following health services?

|    |   | (n=3,204)<br>Total respondents     |  |                                      |                                       |  |   |   |                      |         |
|----|---|------------------------------------|--|--------------------------------------|---------------------------------------|--|---|---|----------------------|---------|
|    |   | Ever<br>received<br>(1-5)<br>(Net) | 1. In<br>the last<br>3<br>months<br>or<br>sooner | 2. In<br>the last<br>4 – 6<br>months | 3. In<br>the last<br>7 – 12<br>months | 4. In<br>the last<br>year –<br>less<br>than 2<br>years | 5. In<br>the last<br>2 year<br>or<br>longer | 98-<br>Never<br>receive<br>d the<br>service | 99-<br>Don't<br>Know | Refused |
| 1  | Consulted your primary care physician                                   | 93%                                | 43%  | 19%                                  | 13%                                   | 8%   | 10%   | 3%  | 4%                   | *       |
| 2  | Consulted your OB/GYN   | 79%                                | 15%  | 11%                                  | 15%                                   | 11%  | 27%   | 11%   | 9%                   | 1%      |
| 3  | Consulted a specialist  | 73%                                | 28%  | 11%                                  | 8%                                    | 8%   | 18%   | 18%   | 8%                   | 1%      |
| 4  | Had a telemedicine appointment  | 45%                                | 13%  | 5%                                   | 7%                                    | 9%   | 10%   | 49%   | 6%                   | 1%      |
| 5  | Received an out-patient (does not<br>require hospitalization) procedure | 60%                                | 12%  | 5%                                   | 6%                                    | 8%   | 29%   | 32%   | 8%                   | 1%      |
| 6  | Received an in-patient (hospitalization<br>is required) procedure       | 51%                                | 3%   | 2%                                   | 3%                                    | 5%   | 38%   | 41%   | 7%                   | 1%      |
| 7  | Had a diagnostic test (blood work)<br>performed                         | 87%                                | 34%  | 17%                                  | 14%                                   | 10%  | 12%   | 8%  | 4%                   | 1%      |
| 8  | Visited the Emergency Room  | 63%                                | 7%   | 5%                                   | 6%                                    | 7%   | 37%   | 31%   | 5%                   | 1%      |
| 9  | Visited an urgent care facility   | 62%                                | 9%   | 6%                                   | 7%                                    | 8%   | 32%   | 31%   | 6%                   | 1%      |
| 10 | Admitted to the hospital for<br>OB/maternity care                       | 48%                                | 1%   | 1%                                   | 2%                                    | 2%   | 42%   | 45%   | 6%                   | 1%      |



## TOPLINE & METHODOLOGY

|    |  |     |     |     |     |    |     |     |    |    |
|----|--|-----|-----|-----|-----|----|-----|-----|----|----|
| 11 | Admitted to the hospital for other health concerns | 41% | 2%  | 2%  | 2%  | 4% | 32% | 51% | 6% | 1% |
| 12 | Sought mental health care                          | 32% | 10% | 2%  | 3%  | 3% | 15% | 62% | 5% | 1% |
| 13 | Prescribed a medication                            | 87% | 44% | 11% | 10% | 7% | 16% | 8%  | 4% | 1% |

| Q6 When was the last time you received the following preventive health services? |  | <i>(n=3,204)</i><br><i>Total respondents</i> |                                   |                             |                              |   |                                 |                                |                |         |
|--|--|--|-----------------------------------|-----------------------------|------------------------------|---|---------------------------------|--------------------------------|----------------|---------|
|  |  | Ever received (1-5) (Net)                    | 1. In the last 3 months or sooner | 2. In the last 4 – 6 months | 3. In the last 7 – 12 months | 4. In the last year – less than 2 years | 5. In the last 2 year or longer | 98- Never received the service | 99- Don't Know | Refused |
| 1  | Cervical cancer screening (e.g., Pap test)   | 76%  | 9%                                | 7%                          | 14%                          | 15%                                     | 30%                             | 18%                            | 7%             | *       |
| 2  | Breast cancer screening – Mammogram          | 66%  | 12%                               | 11%                         | 17%                          | 12%                                     | 14%                             | 30%                            | 4%             | 1%      |
| 3  | Colorectal cancer screening                  | 44%  | 4%                                | 3%                          | 7%                           | 9%                                      | 21%                             | 50%                            | 6%             | 1%      |
| 4  | Bone density scan for Osteoporosis screening | 34%  | 4%                                | 3%                          | 5%                           | 8%                                      | 14%                             | 59%                            | 5%             | 1%      |
| 5  | STI (Chlamydia/Gonorrhea) testing            | 33%  | 4%                                | 3%                          | 3%                           | 5%                                      | 17%                             | 58%                            | 8%             | 1%      |
| 6  | Mental health screening                      | 31%  | 8%                                | 3%                          | 3%                           | 5%                                      | 12%                             | 61%                            | 7%             | 1%      |
| 7  | Hypertension screening                       | 43%  | 15%                               | 9%                          | 8%                           | 4%                                      | 7%                              | 46%                            | 10%            | 1%      |
| 8  | Routine bloodwork                            | 87%  | 32%                               | 17%                         | 16%                          | 10%                                     | 11%                             | 9                              | 4%             | 1%      |
| 9  | Hepatitis C test                             | 26%  | 4%                                | 2%                          | 3%                           | 4%                                      | 13%                             | 55%                            | 19%            | *       |

| Q7 Where do you usually go when you need preventive care services? |   | <i>(n=3,204)</i><br><i>Total Respondents</i> |
|--|---|--|
| 1  | Primary care physician (PCP) office               | 74%  |
| 2  | OB/GYN office                                     | 7%   |
| 3  | Community health center                           | 2%   |
| 4  | Urgent care center                                | 4%   |
| 5  | Hospital  | 2%   |
| 6  | Pharmacy clinic                                   | 1%   |
| 98   | Other: Please specify                             | 1%   |
| 99   | I do not usually receive preventive care services | 9%   |

| Q8 How far did you have to travel to get your preventive care services? |                         | <i>(n=3,204)</i><br><i>Total Respondents</i> |
|---|-------------------------|--|
| 1   | Less than 5 miles away  | 35%  |
| 2   | 5 – 10 miles            | 35%  |
| 3   | More than 10 miles away | 23%  |
| 99  | Don't know              | 7%   |

[ASKED IF Q5\_4=1 Thru 5]

## TOPLINE & METHODOLOGY

| Q9 | Earlier, you mentioned that you had scheduled a telehealth appointment. What was the primary purpose of your most recent telehealth visit? | <u>(n=1,473)</u><br><u>Total Respondents</u><br><u>Who Had A</u><br><u>Telemedicine</u><br><u>Appointment Within</u><br><u>The Past Year</u> |
|----|--|--|
| 1  | COVID-related symptoms   | 13%  |
| 2  | A gynecological or sexual health issue   | 5%   |
| 3  | Prenatal or postpartum care  | 3%   |
| 4  | Management of a chronic condition  | 17%  |
| 5  | Minor illness or injury  | 19%  |
| 6  | Mental health services   | 14%  |
| 98 | Other health concerns  | 28%  |
|    | Refused  | 1%   |

| Q10 | Overall, how easy or difficult would you say it is for you to get access to the health care you need? | <u>(n=3,204)</u><br><u>Total Respondents</u> |
|-----|---|--|
| T2B | <u>Easy (4-5) (Net)</u>   | 77%  |
| 5   | (5) Very easy   | 49%  |
| 4   | (4)   | 28%  |
| 3   | (3)   | 16%  |
| 2   | (2)   | 3%   |
| 1   | (1) Very difficult  | 3%   |
| B2B | <u>Difficult (1-2) (Net)</u>  | 7%   |

| Q11 | In the past 12 months have you experienced any of the following?              | <u>(n=3,204)</u><br><u>Total Respondents</u> |      |                      |         |
|-----|---|--|------|----------------------|---------|
|     |   | 1-Yes  | 2-No | 99-<br>Don't<br>Know | Refused |
| 1   | Skipped preventive health services, such as a yearly check-up or routine test | 22%  | 74%  | 3%                   | 1%      |
| 2   | Skipped a recommended medical test or treatment                               | 14%  | 82%  | 3%                   | 1%      |
| 3   | Did not get a vaccine recommended by a health care professional               | 22%  | 75%  | 3%                   | 1%      |
| 4   | Did not fill or pick up a medication from the pharmacy                        | 14%  | 84%  | 2%                   | 1%      |
| 6   | Skipped one or more doses of the medicine                                     | 19%  | 79%  | 2%                   | 1%      |
| 5   | Couldn't get an appointment with a primary care physician (PCP)               | 12%  | 84%  | 3%                   | 1%      |
| 6   | Couldn't get an appointment with an OB/GYN                                    | 6%   | 87%  | 6%                   | 1%      |
| 7   | Couldn't get an appointment with a specialist                                 | 7%   | 88%  | 4%                   | 1%      |
| 98  | Couldn't get an appointment for a health screening/diagnostic test            | 4%   | 91%  | 4%                   | 1%      |

| Q12 | What are some of the reasons you may not have received preventive care? Select all that apply | <u>(n=3,204)</u><br><u>Total Respondents</u> |
|-----|---|--|
|-----|---|--|

## TOPLINE & METHODOLOGY

|    |   |     |
|----|---|-----|
| 1  | I don't have enough information about which preventive care services are covered by my insurance                            | 5%  |
| 2  | My insurance plan provides limited choices  | 8%  |
| 3  | I can't afford the out-of-pocket costs  | 15% |
| 4  | I have problems communicating with my healthcare provider due to language differences                                       | 1%  |
| 5  | I don't receive enough information to make informed decisions   | 3%  |
| 6  | I have limited transportation to access health care services  | 5%  |
| 7  | I have limited time available in my schedule to make an appointment   | 16% |
| 8  | I face difficulties in scheduling an appointment like difficulty using online scheduling, availability of the provider, etc | 9%  |
| 9  | I have felt discriminated against, ignored, or not believed in healthcare settings  | 4%  |
| 10 | I don't fully understand the information given to me  | 2%  |
| 11 | I don't know which preventive services, screenings or vaccines I should be getting  | 6%  |
| 12 | I have limited childcare options  | 3%  |
| 13 | My caregiver obligations make it hard for me  | 3%  |
| 98 | Don't Know/not sure   | 47% |
|    | Refused   | 6%  |

### [ASKED IF 12=1 THRU 13]

| Q12A What is the most important reason you may have not received preventive care? SINGLE RESPONSE ONLY |   |  |
|--|---|--|
|  |   | <i>(n=1,601)</i><br><i>Total respondents</i> |
|  |   | TOP CHOICE                                   |
| 1  | I don't have enough information about which preventive care services are covered by my insurance                            | 5%   |
| 2  | My insurance plan provides limited choices  | 9%   |
| 3  | I can't afford the out-of-pocket costs  | 25%  |
| 4  | I have problems communicating with my healthcare provider due to language differences                                       | 1%   |
| 5  | I don't receive enough information to make informed decisions   | 2%   |
| 6  | I have limited transportation to access to health care services   | 6%   |
| 7  | I have limited time available in my schedule to make an appointment   | 23%  |
| 8  | I face difficulties in scheduling an appointment like difficulty using online scheduling, availability of the provider, etc | 11%  |
| 9  | I have felt discriminated against, ignored, or not believed in healthcare settings  | 4%   |
| 10   | I don't fully understand the information given to me  | 2%   |
| 11   | I don't know which preventive services, screenings or vaccines I should be getting  | 6%   |
| 12   | I have limited childcare options  | 4%   |
| 13   | My caregiver obligations make it hard for me  | 3%   |

| Q13 Have you received any of the following vaccines? |       |      |  |         |
|--|-------|------|--|---------|
|  |       |      | <i>(n=3,204)</i><br><i>Total respondents</i>       |         |
|  |       |      | 99- Don't Know/N<br>ot aware<br>of this<br>vaccine | Refused |
|  | 1-Yes | 2-No |  |         |

## TOPLINE & METHODOLOGY

|   |   |     |     |     |    |
|---|---|-----|-----|-----|----|
| 1 | Flu                                       | 59% | 34% | 1%  | 6% |
| 2 | Tdap (tetanus, diphtheria, and pertussis) | 62% | 24% | 7%  | 7% |
| 3 | HPV                                       | 22% | 57% | 14% | 7% |
| 4 | Hepatitis – A                             | 31% | 41% | 21% | 7% |
| 5 | Hepatitis - B                             | 34% | 38% | 20% | 7% |
| 6 | [ASKED IF AGE 50+] Shingles               | 43% | 48% | 2%  | 7% |
| 7 | [ASKED IF AGE 65+] Pneumococcal Pneumonia | 69% | 25% | 3%  | 4% |

### [ASKED IF (IF S3=3 OR 4) AND (Q13=2)]

|     |  |  |  |
|-----|--|--|--|
| Q14 | Did you receive the Tdap vaccine while pregnant? |  | <i>(n=26)</i><br><i>Total respondents<br/>who are pregnant</i> |
| 1   | Yes  |  | 63%  |
| 2   | No   |  | 29%  |
| 99  | Don't know/not sure                              |  | 8%   |

### [ASKED IF Q13\_1=1]

|     |   |  |   |
|-----|---|--|---|
| Q15 | When did you receive a flu vaccine? (Select all that apply)                 |  | <i>(n=1,858)</i><br><i>Total respondents<br/>who received flu<br/>vaccine</i> |
| 1   | For the upcoming flu season – received the vaccine within the last 3 months |  | 74%   |
| 2   | For last year's flu season – received the vaccine over the last 12 months   |  | 24%   |
| 3   | 2020-2021 flu season – two years ago  |  | 17%   |
| 4   | 2019-2020 flu season – three years ago                                      |  | 15%   |
| 5   | Before 2019   |  | 17%   |
| 99  | Don't know/not sure   |  | 2%  |

|     |   |  |  |
|-----|---|--|--|
| Q16 | Have you received at least two doses of the COVID-19 vaccine? |  | <i>(n=3,204)</i><br><i>Total respondents</i> |
| 1   | Yes   |  | 76%  |
| 2   | No  |  | 22%  |
| 99  | Don't know/not sure   |  | 1%   |

### [ASKED IF Q16=1]

|     |   |  |  |
|-----|---|--|--|
| Q17 | Have you received at least one COVID-19 booster shot? |  | <i>(n=2,366)</i><br><i>Total respondents who<br/>received at least two<br/>doses of COVID-19<br/>vaccine</i> |
| 1   | Yes   |  | 77%  |
| 2   | No  |  | 22%  |

## TOPLINE & METHODOLOGY

|    |                     |    |
|----|---------------------|----|
| 99 | Don't know/not sure | 1% |
|----|---------------------|----|

### [ASKED (IF S3=3 OR 4) AND (Q16=1)]

|     |  |  |
|-----|--|--|
| Q18 | Did you receive a COVID-19 vaccine while pregnant? |  |
|     |  | <i>(n=27)</i><br><i>Total respondents who are pregnant and received COVID-19 vaccine</i> |
| 1   | Yes  | 24%  |
| 2   | No   | 76%  |
| 99  | Don't know/not sure                                | -  |

### [ASKED IF Q16=1]

|     |   |   |
|-----|---|---|
| Q19 | Where did you get your most recent COVID-19 vaccine?                            |   |
|     |   | <i>(n=2,366)</i><br><i>Total respondents who have received at least two doses of COVID-19 vaccine</i> |
| 1   | My primary care doctor's office   | 11%   |
| 2   | My OB/GYN's office  | 0%  |
| 3   | At my local pharmacy or drug store  | 60%   |
| 4   | Hospital  | 4%  |
| 5   | Health department clinic  | 7%  |
| 6   | Outdoor vaccine clinic  | 3%  |
| 7   | Drive-thru vaccine clinic   | 2%  |
| 8   | Indoor community venue such as a school, convention center, or community center | 5%  |
| 9   | At my place of work   | 4%  |
| 88  | Other: please specify   | 4%  |
| 98  | Don't know/not sure   | 1%  |

### [ASKED IF Q16=2]

|     |   |   |
|-----|---|---|
| Q20 | How likely are you to get your first COVID-19 shot this year? |   |
|     |   | <i>(n=790)</i><br><i>Total respondents who have not received COVID-19 vaccine</i> |
| T2B | <u>Likely (Net)</u>   | 9%  |
| 1   | Very likely   | 3%  |
| 2   | Somewhat likely   | 6%  |
| 3   | Not very likely   | 7%  |
| 4   | Not at all likely   | 76%   |
| B2B | <u>Not likely (Net)</u>                                       | 82%   |
| 99  | Don't know/not sure   | 8%  |

|     |  |                  |
|-----|--|------------------|
| Q21 | How likely are you to get the updated COVID-19 vaccines that protects against the newer variants of COVID? |                  |
|     |  | <i>(n=3,204)</i> |

## TOPLINE & METHODOLOGY

|     |                         | <i>Total respondents who have not received at least two doses of the COVID-19 vaccine</i> |
|-----|-------------------------|---|
| T2B | <b>Likely (Net)</b>     | 56%   |
| 1   | Very likely             | 39%   |
| 2   | Somewhat likely         | 17%   |
| 3   | Not very likely         | 10%   |
| 4   | Not at all likely       | 27%   |
| B2B | <b>Not likely (Net)</b> | 37%   |
| 99  | Don't know/not sure     | 7%  |

### [ASKED IF Q16=1]

| Q22 | What are some of the reasons you chose to get the COVID-19 vaccine? Select all that apply.                               | <i>(n=2,366)<br/>Total respondents who have received at least two doses of COVID-19 vaccine</i> |
|-----|--|---|
| 1   | I am confident in the safety of the vaccine  | 42%   |
| 2   | I believe the vaccines will be helpful in protecting me  | 64%   |
| 3   | My doctor/ healthcare practitioner has recommended I take the vaccine  | 34%   |
| 4   | I believe taking the vaccine is a social responsibility  | 47%   |
| 5   | I believe taking the vaccine is important for public health  | 56%   |
| 6   | There is sufficient data regarding vaccine safety and efficacy released by the government and other medical associations | 36%   |
| 7   | All my friends and family have taken or are taking the vaccine   | 19%   |
| 8   | I am more concerned about the danger of acquiring the disease than any risks associated with the vaccine                 | 45%   |
| 98  | Don't know/not sure  | 8%  |

### [ASKED IF Q22=1 THRU 8]

| Q23 | What is the most important reason why you chose to get the COVID-19 vaccine? SINGLE RESPONSE ONLY                        | <i>(n=2,179)<br/>Total respondents who have received at least two doses of COVID-19 vaccine</i> |
|-----|--|---|
|     |  | TOP REASON  |
| 1   | I am confident in the safety of the vaccine  | 5%  |
| 2   | I believe the vaccines will be helpful in protecting me  | 35%   |
| 3   | My doctor/ healthcare practitioner has recommended I take the vaccine  | 9%  |
| 4   | I believe taking the vaccine is a social responsibility  | 8%  |
| 5   | I believe taking the vaccine is important for public health  | 15%   |
| 6   | There is sufficient data regarding vaccine safety and efficacy released by the government and other medical associations | 4%  |

## TOPLINE & METHODOLOGY

|   |  |     |
|---|--|-----|
| 7 | All my friends and family have taken or are taking the vaccine   | 4%  |
| 8 | I am more concerned about the danger of being infected with the disease than any risks associated with the vaccine | 21% |

### [ASKED IF Q16=2]

| Q24A What are some of the reasons you chose <b>not</b> to get the COVID-19 vaccine? Select all that apply. |   | (n=790)<br>Total respondents who<br>have not received the<br>COVID-19 vaccine |
|--|---|---|
| 1  | I didn't have sufficient information about the vaccine                                    | 20%   |
| 2  | I didn't receive a recommendation from my doctor/nurse                                    | 3%  |
| 3  | My provider's office didn't stock the vaccine(s)  | *   |
| 4  | I was concerned that I would have immediate side effects after taking the vaccine         | 34%   |
| 5  | I was concerned about the unforeseen future effects of the vaccine                        | 51%   |
| 6  | I do not trust vaccines   | 33%   |
| 7  | I don't believe the vaccine will work   | 41%   |
| 8  | The vaccines are not covered by my insurance  | 1%  |
| 9  | I can't afford the out-of-pocket costs to receive a vaccine                               | 3%  |
| 10   | The vaccines are difficult to get   | 1%  |
| 11   | I do not have the time to get a vaccine   | 2%  |
| 12   | I am afraid of needles and shots  | 8%  |
| 13   | I didn't take the vaccine for religious and cultural reasons                              | 11%   |
| 14   | Leaders (religious, political, teachers, mentors) in my community do not support vaccines | 2%  |
| 15   | I didn't find the information provided to me about the vaccine to be helpful              | 13%   |
| 16   | I don't believe I am at risk of the disease   | 15%   |
| 98   | Don't know/not sure   | 13%   |

### [ASKED IF Q24A=1 THRU 16]

| Q24B What is the most important reason why you chose <b>not</b> to get the COVID-19 vaccine? SINGLE RESPONSE ONLY<br>Show responses where 1- Yes is selected in Q24A. Autopunch if only one 'Yes' response option is selected or if none are selected. |   | (n=703)<br>Total respondents who<br>have not received the<br>COVID-19 vaccine |
|--|---|---|
|  |   | TOP REASON  |
| 1  | I didn't have sufficient information about the vaccine                            | 5%  |
| 2  | I didn't receive a recommendation from my doctor/nurse                            | 1%  |
| 3  | My provider's office didn't stock the vaccine(s)                                  | -   |
| 4  | I was concerned that I would have immediate side effects after taking the vaccine | 9%  |
| 5  | I was concerned about the unforeseen future effects of the vaccine                | 38%   |
| 6  | I do not trust vaccines   | 20%   |
| 7  | I don't believe the vaccine will work   | 11%   |
| 8  | The vaccines are not covered by my insurance                                      | *   |
| 9  | I can't afford the out-of-pocket costs to receive a vaccine                       | *   |

## TOPLINE & METHODOLOGY

|    |   |    |
|----|---|----|
| 10 | The vaccines are difficult to get   | *  |
| 11 | I do not have the time to get a vaccine   | *  |
| 12 | I am afraid of needles and shots  | 3% |
| 13 | I didn't take the vaccine for religious and cultural reasons                              | 5% |
| 14 | Leaders (religious, political, teachers, mentors) in my community do not support vaccines | 1% |
| 15 | I didn't find the information provided to me about the vaccine to be helpful              | 2% |
| 16 | I don't believe I am at risk of the disease   | 4% |

| Q25A Have you received a recommendation from any of the following about getting a vaccine? |   |  |
|--|---|--|
|  |   | <i>(n=3,204)</i><br><i>Total respondents</i> |
| 1  | Family doctor   | 42%  |
| 2  | Obstetrician/Gynecologist   | 7%   |
| 3  | Pediatrician  | 5%   |
| 4  | Nurse/Certified nurse/Midwife   | 4%   |
| 5  | Pharmacists   | 10%  |
| 6  | Radiologists at the imaging lab   | 1%   |
| 7  | Centers for Disease Control and Prevention (CDC), the federal government agency that makes recommendations about who should get licensed vaccines | 19%  |
| 8  | Academics and medical experts from top universities   | 5%   |
| 9  | Food & Drug Administration (FDA), the federal government agency that licenses vaccines  | 8%   |
| 10   | Scientists involved in developing and testing new vaccines  | 6%   |
| 11   | International health authorities, like the World Health Organization (WHO)  | 7%   |
| 12   | Federal government agencies responsible for monitoring the safety of recommended vaccines   | 9%   |
| 13   | Local health agencies and authorities   | 12%  |
| 14   | Companies developing the vaccines   | 4%   |
| 15   | Religious leaders & faith-based organizations   | 2%   |
| 16   | Friends and family  | 23%  |
| 17   | Celebrities and mom influencers/bloggers, I follow on social media  | 2%   |
| 98   | Other: please specify   | 2%   |
|  | I have not received a recommendation from anyone or any organization about getting the vaccine  | 19%  |
| 98   | Don't know/not sure   | 10%  |
|  | No Response   | 7%   |

### [ASKED IF Q25A=1 THRU 17]

| Q25B Of the following, who do you trust most when deciding to get a vaccine? SINGLE RESPONSE ONLY |                               |  |
|---|-------------------------------|--|
|   |                               | <i>(n=2,042)</i><br><i>Total respondents</i> |
|   |                               | TRUST MOST                                   |
| 1   | Family doctor                 | 54%  |
| 2   | Obstetrician/Gynecologist     | 3%   |
| 3   | Pediatrician                  | 3%   |
| 4   | Nurse/Certified nurse/Midwife | 1%   |
| 5   | Pharmacists                   | 3%   |



## TOPLINE & METHODOLOGY

|    |   |     |
|----|---|-----|
| 6  | Radiologists at the imaging lab   | 0%  |
| 7  | Centers for Disease Control and Prevention (CDC), the federal government agency that makes recommendations about who should get licensed vaccines | 12% |
| 8  | Academics and medical experts from top universities   | 2%  |
| 9  | Food & Drug Administration (FDA), the federal government agency that licenses vaccines  | 1%  |
| 10 | Scientists involved in developing and testing new vaccines  | 2%  |
| 11 | International health authorities, like the World Health Organization (WHO)  | 1%  |
| 12 | Federal government agencies responsible for monitoring the safety of recommended vaccines   | 1%  |
| 13 | Local health agencies and authorities   | 3%  |
| 14 | Companies developing the vaccines   | 0%  |
| 15 | Religious leaders & faith-based organizations   | 0%  |
| 16 | Friends and family  | 11% |
| 17 | Celebrities and mom influencers/bloggers, I follow on social media  | *   |
| 88 | Other source [Please specify]   | 1%  |
|    | No Response   | 1%  |

|           |   |  |
|-----------|---|--|
| Q26       | Have you or anyone in the family ever experienced a <a href="#">delay in diagnosis</a> ?  | <i>(n=3,204)</i><br><i>Total respondents</i> |
| 1         | Yes   | 12%  |
| 2         | No  | 59%  |
| 98        | Don't know/not sure   | 21%  |
|           | No Response   | 9%   |
| Hyperlink | <a href="#">Delayed diagnoses is when a patient seeks medical treatment for symptoms, and yet the condition causing those symptoms go undiagnosed for an unreasonable amount of time.</a> |  |

### [ASKED IF Q26=1]

|      |   |   |
|------|---|---|
| Q27A | What was the reason for the delay in diagnosis? Please select all that apply. | <i>(n=422)</i><br><i>Total respondents whose family members have experienced a delay in diagnosis</i> |
| 1    | Delay in getting a doctor's appointment                                       | 27%   |
| 2    | Delay in getting a medical test   | 28%   |
| 3    | Delay in seeing a specialist  | 32%   |
| 4    | Delay in identifying symptoms   | 34%   |
| 5    | Symptoms were not accurately diagnosed  | 53%   |
| 6    | Inaccurate diagnosis and treated for another condition                        | 39%   |
| 7    | Administrative challenges with the insurance company delayed access to care   | 9%  |
| 8    | I didn't have the information and resources to advocate for myself            | 9%  |
| 88   | Other source: please specify  | 8%  |
| 98   | Don't know/not sure   | 6%  |

## TOPLINE & METHODOLOGY

[ASKED IF Q27A=1 THRU 88]

| Q27B What was the most important reason for the delay in diagnosis? SINGLE RESPONSE ONLY |   |   |
|--|---|---|
|  |   | <i>(n=401)<br/>Total respondents<br/>whose family<br/>members have<br/>experienced a delay<br/>in diagnosis</i> |
|  |   | <b>MOST<br/>IMPORTANT<br/>REASON</b>  |
| 1  | Delay in getting a doctor's appointment                                     | 9%  |
| 2  | Delay in getting a medical test   | 9%  |
| 3  | Delay in seeing a specialist  | 9%  |
| 4  | Delay in identifying symptoms   | 11%   |
| 5  | Symptoms were not accurately diagnosed                                      | 31%   |
| 6  | Inaccurate diagnosis and treated for another condition                      | 18%   |
| 7  | Administrative challenges with the insurance company delayed access to care | 2%  |
| 8  | I didn't have the information and resources to advocate for myself          | 3%  |
| 88   | Other   | 9%  |

| Q28 Thinking now about the COVID-19 pandemic... Have you or a member of your household ever tested positive for COVID-19? |   |  |
|---|---|--|
|   |   | <i>(n=3,204)<br/>Total respondents</i> |
| 1   | Yes – I have                                    | 42%                                    |
| 2   | Yes – my spouse/partner has                     | 26%                                    |
| 3   | Yes – one or more of my children/dependents has | 24%                                    |
| 4   | No – no one in my household                     | 43%                                    |
|   | Refused   | 1%                                     |

| Q29 Since the COVID-19 pandemic, has your physical health gotten better, gotten worse, or has it stayed about the same? |                       |  |
|---|-----------------------|--|
|   |                       | <i>(n=3,204)<br/>Total respondents</i> |
| 1   | Gotten better         | 12%                                    |
| 2   | Gotten worse          | 14%                                    |
| 3   | Stayed about the same | 73%                                    |

| Q30 As a result of the COVID-19 pandemic, have you experienced any of the following? |   |  |
|--|---|--|
|  |   | <i>(n=3,204)<br/>Total respondents</i> |
| 1  | Difficulty getting a COVID-19 test                    | 6%                                     |
| 2  | Difficulty in getting a doctor's appointment          | 12%                                    |
| 3  | Routine out-patient appointment cancelled or deferred | 7%                                     |
| 4  | Routine tests/health screenings cancelled             | 5%                                     |

## TOPLINE & METHODOLOGY

|    |   |     |
|----|---|-----|
| 5  | Diagnosis of health problems cancelled or deferred  | 2%  |
| 6  | Nervous about visiting the doctor's office during the pandemic and cancelled/postponed an appointment as a result | 10% |
| 7  | Difficulty getting prescription drugs   | 3%  |
| 98 | None of the above   | 73% |
|    | Refused   | 1%  |

| Q31 To what extent - if any - would you say the COVID-19 pandemic has caused any of the following changes to how you seek preventive care? |  | (n=3,204)<br>Total Respondents |                |                     |          |               |            |         |
|--|--|--------------------------------|----------------|---------------------|----------|---------------|------------|---------|
|  | RANDOMIZE  | Top 2 Box (Net)                | A great extent | Yes, to some extent | A little | No not at all | Don't Know | Refused |
|  |  |                                | 1              | 2                   | 3        | 4             | 99         |         |
| 1  | Delay in getting a healthcare procedure  | 10%                            | 3%             | 7%                  | 15%      | 69%           | 5%         | 1%      |
| 2  | Delay in preventive screenings and testing                                       | 11%                            | 3%             | 8%                  | 16%      | 67%           | 5%         | 1%      |
| 3  | Delay in scheduling and appointment due to limited availability                  | 18%                            | 6%             | 12%                 | 18%      | 58%           | 5%         | 1%      |
| 4  | Skipped medication or care due to financial concerns exacerbated by the pandemic | 7%                             | 2%             | 5%                  | 7%       | 80%           | 5%         | 1%      |
| 5  | Postponed vaccination  | 8%                             | 3%             | 5%                  | 9%       | 76%           | 6%         | 1%      |
| 6  | Opted for telehealth services due to the delay in getting an appointment         | 15%                            | 5%             | 11%                 | 11%      | 66%           | 6%         | 1%      |
| 7  | Nervous about visiting a doctor's office and avoided treatment as a result       | 9%                             | 3%             | 6%                  | 15%      | 70%           | 5%         | 1%      |
| 8  | Skipped/delayed getting preventive care and still not being caught up            | 10%                            | 3%             | 6%                  | 13%      | 71%           | 5%         | 1%      |

| Q32 In the past 12 months... |  | (n=3,204)<br>Total Respondents |      |                                   |         |
|------------------------------|--|--------------------------------|------|-----------------------------------|---------|
|                              |  | 1-Yes                          | 2-No | 98- Don't Know/ Not aware of this | Refused |
| _1                           | Have you been screened for cervical cancer (e.g., received a Pap smear and/or HPV test)? | 44%                            | 52%  | 3%                                | 1%      |
| _2                           | Have you talked to your provider about cervical cancer screening?                        | 33%                            | 62%  | 4%                                | 1%      |
| _3                           | Have you received a recommendation from your provider for a cervical cancer screening?   | 25%                            | 69%  | 6%                                | 1%      |

| Q33 Please indicate how likely are you to do each of the following? |  | (n=3,204) |  |  |  |
|---|--|-----------|--|--|--|
|---|--|-----------|--|--|--|

## TOPLINE & METHODOLOGY

|   |   | <u>Total respondents</u> |                |                     |                    |                      |               |         |
|---|---|--------------------------|----------------|---------------------|--------------------|----------------------|---------------|---------|
|   |   | <u>Likely<br/>(Net)</u>  | Very<br>likely | Somewh<br>at likely | Not very<br>likely | Not at all<br>likely | Don't<br>Know | Refused |
|   | How likely would you be to...   | T2B                      | 4              | 3                   | 2                  | 1                    | 99            |         |
| 1 | Get a cervical cancer screening, if your provider recommended it?                                       | 72%                      | 48%            | 24%                 | 7%                 | 11%                  | 9%            | 1%      |
| 2 | Get a cervical cancer screening, if it was <b>not</b> covered by your insurance?                        | 34%                      | 17%            | 18%                 | 21%                | 31%                  | 13%           | 1%      |
| 3 | Get a cervical cancer screening, if you needed to get authorization from your health insurance company? | 58%                      | 32%            | 26%                 | 12%                | 16%                  | 13%           | 1%      |

|     |   |                        |                |                    |                   |                      |         |
|-----|---|------------------------|----------------|--------------------|-------------------|----------------------|---------|
| Q34 | The federal government and other national organizations create guidelines about preventive services such as screenings, counseling services and preventive medicines for diseases like cervical and breast cancer. Doctors rely on these guidelines to inform their approach with patients and insurance companies refer to them when determining coverage. How important to you are each of the following to prioritize in the guidelines? |                        |                |                    |                   |                      |         |
|     | <u>(n=3,204)</u>  |                        |                |                    |                   |                      |         |
|     | <u>Total respondents</u>  |                        |                |                    |                   |                      |         |
|     |   | <u>Important (Net)</u> | Very Important | Somewhat important | Not too important | Not at all important | Refused |
|     |   | T2B                    | 4              | 3                  | 2                 | 1                    |         |
| 1   | Allowing for the earliest possible detection of disease through the most robust testing   | 90%                    | 66%            | 24%                | 5%                | 3%                   | 2%      |
| 2   | Encouraging conversation between the patient-provider and shared decision making  | 90%                    | 64%            | 26%                | 5%                | 3%                   | 2%      |
| 3   | Ensuring providers can make best choice for patient based on unique needs   | 91%                    | 68%            | 23%                | 4%                | 3%                   | 2%      |
| 4   | Considering the needs and lived experiences of all women by examining the potential impact on different races and populations   | 84%                    | 58%            | 27%                | 9%                | 5%                   | 2%      |
| 5   | Ensuring there isn't a negative impact on health equity   | 87%                    | 60%            | 26%                | 7%                | 4%                   | 2%      |
| 6   | Removing barriers to care, not make it more difficult for women to get screenings   | 89%                    | 69%            | 20%                | 5%                | 3%                   | 2%      |
| 7   | Ensuring comprehensive preventive care and screening is affordable  | 91%                    | 72%            | 19%                | 4%                | 2%                   | 2%      |
| 8   | Ensuring that equitable standards of care are available to all women  | 89%                    | 69%            | 20%                | 5%                | 3%                   | 2%      |

|     |   |     |
|-----|---|-----|
| Q35 | Are you currently covered by any form of health insurance? A health plan would include any private insurance plan through your employer or a plan that you purchased yourself, as well as a government program like Medicare or Medicaid. |     |
|     | <u>(n=3,204)</u>  |     |
|     | <u>Total respondents</u>  |     |
| 1   | Yes (Insured)   | 89% |
| 2   | No (Uninsured)  | 7%  |
| 98  | Don't Know/Prefer not to answer   | 3%  |



## TOPLINE & METHODOLOGY

[ASKED IF Q35=1]

| Q36 | What is the main type of health insurance coverage that you have currently have? Select all that apply. | (n=2,877)<br><u>Total insured respondents</u> |
|-----|---|---|
| 1   | A plan through my/my spouse's/my parents' employer  | 54%   |
| 2   | A plan you purchased yourself directly from an insurance company  | 6%  |
| 3   | A plan you purchased yourself from a state or federal marketplace                                       | 5%  |
| 4   | Medicaid  | 14%   |
| 5   | Medicare  | 27%   |
| 6   | A plan through a family member  | 2%  |
| 7   | A plan through a school   | 0%  |
| 8   | VA/Tri-Care/Military  | 3%  |
| 98  | I'm not sure  | 2%  |
| 99  | Don't know/Prefer not to answer   | *   |





## TOPLINE & METHODOLOGY

### About the Study

This Alliance for Women's Health and Prevention (AWHP)/Ipsos Poll was conducted online from November 18 – December 8, 2022 by Ipsos. This poll is based on a national sample of 3,204 female adults (age 18 or older), combining a sample from the probability-based KnowledgePanel® (n=1,138) and a non-probability sample (n=2,066).

The study was conducted in both English and Spanish. The data were weighted to adjust for age, race/ethnicity, education, Census region by metropolitan status, household income, and language dominance among Hispanics. The demographic benchmarks for women ages 18 and older in the US came from the 2022 March Supplement of the Current Population Survey (CPS), with the exception of the language dominance benchmarks which were obtained from the 2021 American Community Survey (ACS). The weighting categories were as follows:

- Age (18-29, 30-44, 45-59, 60+)
- Race/Hispanic ethnicity (White/Non-Hispanic, Black/Non-Hispanic, Other/Non-Hispanic, Hispanic, 2+ Races/Non-Hispanic)
- Education (Less than High School, High School, Some College, Bachelor and higher)
- Census Region (Northeast, Midwest, South, West) by Metropolitan Area (Yes, No)
- Household Income (Under \$25K, \$25K-\$49,999, \$50K-\$74,999, \$75K-\$99,999, \$100K-\$149,999, \$150K and over)
- Language Dominance among Hispanics (English Dominant Hispanic, Bilingual Hispanic, Spanish Dominant Hispanic, Non-Hispanic)

This survey was partially conducted using the Ipsos KnowledgePanel, the most well-established online probability-based panel that is representative of the adult US population. Panelists are recruited into this invitation-only panel via postal mailings to a random selection of residential addresses. To ensure that non-internet households are included, Ipsos provides an internet-enabled tablet to those who need them. Additional sample was obtained using a non-probability sample with a quota design to increase the overall study sample size and allow for analyses of subpopulation groups of interest.

Additional weighting adjustments were made using Ipsos's proprietary calibration approach, which weighted respondents from the non-probability sample to benchmarks from the weighted KnowledgePanel sample based on the categories below. These additional adjustments are designed to reduce the bias known to be associated with non-probability samples that are not addressed with standard geodemographic weighting.

- Daily Television Consumption (< 3 hours/day, 3+ hours/day)
- Weekly Internet Personal Usage (< 10 hours/week, 10+ hours/week)
- Willingness To Express Political/Community Opinions Online (Less than once a month or more often, Not at all)
- Willingness To Try New Products (Not at all/Somewhat, A lot/Completely)





## TOPLINE & METHODOLOGY

### About Ipsos

Ipsos is the world's third largest Insights and Analytics company, present in 90 markets and employing more than 18,000 people.

Our passionately curious research professionals, analysts and scientists have built unique multi-specialist capabilities that provide true understanding and powerful insights into the actions, opinions and motivations of citizens, consumers, patients, customers or employees. We serve more than 5000 clients across the world with 75 business solutions.

Founded in France in 1975, Ipsos is listed on the Euronext Paris since July 1st, 1999. The company is part of the SBF 120 and the Mid-60 index and is eligible for the Deferred Settlement Service (SRD).

ISIN code FR0000073298, Reuters ISOS.PA, Bloomberg IPS:FP [www.ipsos.com](http://www.ipsos.com)

